CLAIMS LISTING

1.(currently amended) A method of manufacturing a solid electrolytic capacitor, said method comprising the steps of:

forming a solid electrolytic capacitor element;

applying a pre-coat resin to a portion of capacitor terminals;

connecting the capacitor terminals to the capacitor element; and

encapsulating the capacitor element and a portion of the capacitor terminals with a protective resin;

wherein said pre-coat resin is substantially rigid at ambient temperatures and flexible at elevated high temperatures.

- 2.(original) A method of manufacturing a solid electrolytic capacitor according to claim 1 further comprising the step of selecting the pre-coat resin from thermally curable liquid epoxy resins containing lactone.
- 3.(currently amended) A method of manufacturing a solid electrolytic capacitor according to claim 1, wherein said pre-coat resin applying step is performed using a wiper to

apply the pre-coat resin onto the portion of the capacitor terminals.

- 4. (currently amended) A method of manufacturing a solid electrolytic capacitor according to claim 1, wherein said pre-coat resin applying step is performed using a brush to apply the pre-coat resin onto the portion of the capacitor terminals.
- 5.(currently amended) A method of manufacturing a solid electrolytic capacitor according to elaim 1 claim 1, wherein said pre-coat resin applying step is performed using a counter-rotating wheel assembly to apply the pre-coat resin onto the portion of the capacitor terminals.
- 6.(currently amended) A method of manufacturing a solid electrolytic capacitor according to elaim 11 claim 1, wherein said pre-coat resin applying step is performed by spraying the pre-coat resin onto the portion of the capacitor terminals.